


¾ Scale Section Box Instructions

Ashton Section box




Assemble the front, back and two sides to form a box, with the sides inside the front and back. The beading should line up.

The front and back should have the double beaded section at the bottom.

The base has shaped sides, with the narrower section at the top. The box fits on top of this just inside the top edges.

The upper piece has straight edges, and fits on the top of the box, slightly overlapping all the way round, and the top overlaps on that.

Bradford Section box




Assemble the front, back and two sides to form a box, with the sides inside the front and back. The beading should line up.

The wider edge beading goes at the bottom.

The base has a hole in the middle and shaped sides, with the narrower section at the top. The box fits on top of this just inside the top edges.

The upper piece has straight edges, and fits on the top of the box, with the beading at the bottom, slightly overlapping all the way round, and the top sits just inside the edge of that.

LCC Section box




Assemble the front, back and two sides to form a box, with the sides inside the front and back and the extension pieces in the gaps of the front and back. The beading should be on the outside and line up at the bottom.

The base has shaped sides, with the narrower section at the top. The box fits on top of this just overlapping the top edges.

The top fits on the top of the box, with the curve matching the shape of the top of the front and back. The top is made from softer metal so that it can be gently bent to the right shape.

LCC Phone box




Assemble the front, back and two sides to form a box, with the sides inside the front and back. The beading should be on the outside and line up around the top.

The two parts of the top fit inside the upper edge of the box, it may need trimming to fit.

The phone box fits to the middle of the top of the section box, without conforming to the shape of the roof of the section box – there were gaps at the side edges.


General Phone box



Assemble the front, back and two sides to form a box, with the sides inside the front and back. The beading should be on the outside and line up around the top.

The flat part of the top fits on the top of the box, overlapping all the way round. The angled top fits centrally on this.

Glasgow Phone box



Assemble the front, back and two sides to form a box, with the sides inside the front and back.

The thin flat section fits in the bottom of the box. The angled base fits centrally below this, and the post fits in this.

The curved top fits inside the top of the box, smoothly all the way round.