
## <u>KW Trams</u>


## KW 013 LUT track car 005




	the second s	
6. 7.	Tram side Bogie sides Dash panel Body end Resistance box Platform Body outer end Roof	x2 x4 x2 x2 x1 x2 x2 x2 x2 x2 x2
9.	Front life guard	x2
11.	Side life guard Life tray Controller	x2 x2 x2
13.	Gantry Chain hoist	x2 x2 x2
16.	Cylinder Trolley plank Trolley plank supports	x1 x1 x2

## Build Steps

1. Fix body ends to sides squarely and marry the two subassemblies to produce a box.




2. Trim to length, then fix body outer ends.




3. With model inverted, attach platforms to bottom edges of outer body ends; flush to the edge.




4. Carefully bend the dash panels to fit the curve of the platform, trim to length and fit to platform.




5. Turn model over and fit the life guards under the front platform. Bend the life trays along the fold lines – they will probably break, so fix them together at 90 degrees, then fit to back end of platform.



6. Carefully bend the roof to shape and fit



7. Fix the trolley plank supports flush with the edges of the trolley plank, then fit assembly to centre of roof.



8. Fit the resistance box on one platform in the off side corner with the back against the outer body end. Fit the cylinder in the equivalent position on the other platform



9. Fit the chain hoists to the gantries.

