<u>KW Trams</u>

KW 025 Newcastle Class E balcony



Parts

1.	Tram side lower	2	x2
2.	Truck side	2	x2
3.	Stairs	2	x2
4.	Step	2	x2
5.	Vestibule	2	x2
6.	Resistance box	2	x2
7.	Platform	2	x2
8.	Ceiling / Upper floor 1/2	2	x2
9.	Roof	2	x1
10.	Lower deck bulkhead	2	x2
11.	Upper deck side	2	x2
12.	Upper bulkhead	2	x2
13.	Balcony ends	2	x2
14.	Life guard	2	x2
15.	Life tray	2	x2
16.	Controller	2	x2
17.	Trolley plank	2	x1
18.	Balcony seat	2	x2
19.	Destination box	2	x2
20.	Handbrake	2	x2

<u>Build Steps</u>1. Fix the truck sides to the lower sides making sure they are mounted centrally.



2. Fix bulk heads to sides squarely and marry the two subassemblies to produce a box.



- 3. With model inverted, attach platforms to bottom edges of bulkheads; you will need to trim the platform sides so that they fit. They should be fitted so that the rear edge of the step is in line with the bulkhead.
- 4. Carefully bend the vestibules to fit the shape of the platform and fit.



5. Fix the two halves of the ceiling/floor together and fit to the lower deck.



6. Fix upper bulk heads to upper sides squarely and marry the two subassemblies to produce a box.



7. Fix centrally to the roof so that the upper and lower deck line up.



8. Carefully bend the balcony ends to shape and fit flush to edge of sides and is approximately 5mm shorter than the floor. You will need to trim the panel to the correct length.



9. Turn model over and fit the steps, life guards under the front platform and the life trays attached to the front edge of the truck sides so they do not interfere with the mechanism.



10. Fit the trolley plank centrally to the roof. Do not fit to rest of model until you have painted and glazed the interior.



